

# AUSTRALIA'S LEADING MASONRY MANUFACTURER

From making better use of sloped land to simple garden edging, Adbri Masonry has a retaining wall for every application. This selection guide contains information, helpful hints and insights which will help you with your next retaining wall project.

Retaining walls are a key element to any outdoor area, helping set the tone of space through bold feature walls, or even by simply framing garden areas. Working seamlessly with Adbri Masonry's paving solutions, our range of retaining walls are as practical as they are visually appealing.

Whether it is making better use of precious space or crafting new areas for planting your green creations, Adbri Masonry will have the perfect retaining wall solution for your next project.









# JASON HODGES LANDSCAPING EXPERT

Jason Hodges is Adbri's DIY landscaping expert! Jason has over 20 years experience as a landscaper and more recently, an international award winning landscaper designer. Learn from Jason and look out for his hints and tips to help you get the most from your outdoor space.

ASQ ALET

Jason Hodges | Landscaping Expert

# ADD VALUE TO YOUR PLACE THIS WEEKEND











Garden Steps

**AVAILABLE SIZES** 



Versawall® Standard Unit 12.5 units per m<sup>2</sup>



Versawall® Corner Unit



Versawall® Cap 3.33 units per I/m

Maximum non reinforced height 800mm+Cap (4 courses) or up to 1400mm with no fines concrete






# **COLOUR OPTIONS**







Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.















Garden Edge

Garden Steps

Engineered Wall



# **AVAILABLE SIZES**



100mm

300mm

Natural Impressions® Flagstone Block 33.33 units per m<sup>2</sup>



50mm

300mm

Natural Impressions® Flagstone Cap 3.33 units per I/m

Maximum non reinforced height 800mm + cap (8 courses)



# **COLOUR OPTIONS**







Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.











Windsor™



# **AVAILABLE SIZES**



Windsor<sup>™</sup> Block 26 units per m²

Maximum non reinforced height 1040mm (8 course)



# **COLOUR OPTIONS**

Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.

















# **Border Stone**

# **AVAILABLE SIZES**



Border Stone 4.65 units per I/m

Maximum non reinforced height 300mm (3 courses)



# **COLOUR OPTIONS**









Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.









Meadow Stone



# **AVAILABLE SIZES**



Meadow Stone 150mm Unit\* 16.6 pairs per m<sup>2</sup>

Meadow Stone 250mm Unit\* 16.6 pairs per m<sup>2</sup>

\*150mm and 250mm units sold as a pair



Meadow Stone 400mm Unit 16.6 units per m<sup>2</sup>



Meadow Stone Cap 3.3 units per I/m

Maximum non reinforced height 750mm+Cap (5 courses)



# **COLOUR OPTIONS**






Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.

# RECOMMENDED FOR Engineered Vertical Walls


Versaloc®









Versaloc® Standard Unit 12.5 pairs per m²



Versaloc® RH Corner Unit (LH corner also available) (LH and RH Units sold as a pair)



Versaloc® End Unit (Sold as pair with Half End Units)



Versaloc® Half End Unit (Sold as pair with End Units)




Maximum non reinforced height 600mm + cap (3 courses)



**COLOUR OPTIONS** 



Whilst these swatches provide a good indication of the products colour, you should always sight product samples before use.




# RETAINING WALL RANGE


Products	Туре	Size (mm) w x h x d	No. per m²	Approx. unit weight (kg)	No. per pallet	Colours
	Versawall®	400 x 200 x 215	12.5	21.0	60	
	Universal Cap	300 x 60 x 250	3.33 L/m	9.6	144	Charcoal Oatmeal Sunstone
	Versawall® Corner Unit	390 x 200 x 215/190	-	21.0	60 30L, 30R	
	Natural Impressions® Flagstone	300 x 100 x 175	33.33	10.58	144	Ironstone Bluestone
	Natural Impressions® Flagstone Cap	300 x 50 x 200	3.33 L/m	6.59	216	Sandstone
	Windsor	295 x 130 x 203	26	12.4	120	Charcoal Fossil Oatmeal Sunstone Terracotta
	Border Stone	215 x 100 x 140	4.65 L/m	5.6	240	Charcoal Oatmeal Sunstone Terracotta
	Meadow Stone (The Meadow Stone 150 and 250 units are sold as a pair)	150 x 150 x 200 250 x 150 x 200 400 x 150 x 200	8.3 pairs and 8.3 full units	23 per pair 20.7	60 pairs 60	Bondi Sand Blue Mountain
	Meadow Stone Cap	300/230 x 60 x 200	3.8 L/m	6.99	168	
	Versaloc®	400 x 200 x 190	12.5	15.56	72	
	Versaloc® RH Corner Unit (sold as a pair with LH Unit)	390 x 200 x 190	N/A	15.35	72 (36 Right, 36 Left)	
	Versaloc® LH Corner Unit (sold as a pair with RH Unit)	390 x 200 x 190	N/A	15.35	72 (36 Right, 36 Left)	
	Versaloc® End Unit	400 x 200 x 190	N/A	17.09	96 (48 Full, 48 Half)	Natural
	Versaloc® Half End Unit	200 x 200 x 190	N/A	9.01	96 (48 Full, 48 Half)	
	Versaloc® Capping Unit	390 x 40 x 190	2.56 per I/m	7.0	-	

# TYPICAL CROSS SECTIONS


# WINDSOR™ CROSS SECTION Existing soil Adbri Masonry Windsor™ units and cap Surface drain 1:8 Maximum slope Ø100mm socked subsoil drain 2% fall to discharge at 20m max centres Max 1040mm high No structural 8 courses + cap load within this zone 20mm drainage aggregate column and to fill block voids 400 x 150mm compacted roadbase NOTE: Allow minimum 50mm or concrete pad ebeddment to cover leveling pad



# **BORDER STONE™ CROSS SECTION** 100mm diam. socked Surface drain subsoil drain 2% Existing soil fall to discharge at 20m max centres 1:8 Maximum slope Adbri Masonry Border Stone™ units and cap No structural load within Max 500mm high this zone 3 courses 450 x 130mm compacted roadbase or concrete pad



# **MEADOW STONE CROSS SECTION** Surface drain Adbri Masonry Meadow Stone Existing soil units and cap 1:8 Maximum slope Ø100mm socked subsoil drain 2% 20mm drainage fall to discharge aggregate column at 20m max centres and to fill block voids Max 750mm high 5 courses + cap No structural load within this zone 400 x 150mm compacted roadbase NOTE: Allow minimum 50mm or concrete pad ebeddment to cover leveling pad



# NOTES

- All cross sectional diagrams are not to scale
- All retaining walls are designed to CMAA document .MA53 (Segmental Concrete Gravity Retaining Walls Design and Construction Guide).
- All retaining walls shall comply with AS 4678 Structure Classification A.
- These diagrams are only applicable to retaining walls that incorporate an impermeable surface membrane and drainage system such that there can be no ingress of any water into the soil behind the retaining wall.
- These diagrams are applicable to cuts in insitu soils. The diagrams are not applicable to cohesive fill.
- All retaining walls are designed for an imposed surcharge load of 2.5 kPa. If imposed loads greater than 2.5 kPa are expected, these designs will not be appropriate.
- Levelling pad: a levelling pad may consist of compacted material (5% cement stabilised crushed rock) for wall heights up to 800mm. Walls over 800mm high must use 20MPa concrete for the leveling pad.
- This design information is a guide only. For walls exceeding the nominated heights as above, please refer to the Retaining Wall Systems Technical Brochure. Walls exceeding maximum heights shown will need to be designed and certified by a qualified engineer. Please consult your local council to confirm if you require council approval for your proposed retaining wall.

# DIY with Adbri





Select a retaining wall product by browsing through this catalogue or scanning the QR code and searching online at adbrimasonry.com.au.





Calculate the amount of retaining wall blocks you require with our easy online calculator. Visit adbrimasonry.com.au or scan the QR code above.



Order 10% more for every retaining wall project to account for cuts.



# 3 Simple Steps...

# 3 BUILD YOUR WALL



# **STEP BY STEP GUIDES**

For a complete step by step set of laying instructions including pdf download visit the brochure download section of our website at

adbrimasonry.com.au/homeowners/brochure-download



# **DIY VIDEOS**

Alterntively learn from the expert Jason Hodges using our project specific DIY videos on our website at **adbrimasonry.com.au/jason-hodges-diy-videos** 









# **Other Adbri Masonry Home Solutions**



Landscape Solutions
Sth QLD Paving



Natural Impressions Flyer



Anchor Segmental Retaining Wall Systems

### **Contact Us**



adbrimasonry.com.au



1300 365 565



enquiries@adbri.com.au

Pick up your copy in store or download from adbrimasonry.com.au/brochures

We will not accept any returns or claims more than 7 days after delivery or after products have been installed. We will not accept returns unless transport arrangements have been agreed and the products are in 'as received' condition and accessible for collection. We will only accept returns as follows:

- Paving and Retaining Walls returns accepted only in full pallets stacked in original configuration.
- No returns accepted for any made to order product.

# Free pallet collection service freecall 1800 674 961 or drop pallets back to place of purchase or lodge your pallet pick up online at adbrimasonry.com.au

Pallets remain Adbri Masonry property. Please telephone us for collection of pallets and keep pallets empty and stacked in a safe and accessible area for collection.

The information in this brochure is to be used only with the specific Adbri Masonry products shown. All images, designs, drawings and other depictions of the installation and/or use of products in this document are examples only, and should not be relied on. To the maximum extent permitted by law, in no circumstances will Adbri Masonry be liable to any party for any direct, indirect, consequential, incidental, special or economic loss, damage or injury (which may include loss of profits, loss or damage to goodwill, direct or indirect loss or damage to equipment or property, loss or damage arising from accident, loss of profits or other commercial losses) suffered or incurred by that party.

Adbri Masonry makes no express warranties or representations regarding the products, designs or information set out in this document, and to the maximum extent permitted by law, excludes all representations, warranties, terms, conditions and guarantees regarding the products and designs and information set out in this document, and any other goods or services supplied or provided by Adbri Masonry to the customer that are implied by law (including the general law) or custom. While Adbri Masonry does not exclude, restrict or modified, including but not limited to those set out in the Australian Consumer Law, to the maximum extent permitted by law Adbri Masonry: (a) in the case of goods - replacement of the goods, the supply of equivalent goods, repair of the goods, payment of the cost of replacing the goods or acquiring equivalent goods, or payment of the costs of having the services supplied again.



Retaining Wall Landscape Solutions Brochure

Sth QLD - May 2015 ABM1040

Adbri Masonry Pty Ltd ABN: 31 009 687 521

Miniwall®, Versaloc®, Versawall®, Windsor™ and the Adbri Masonry logo are registered trademarks of Adbri Masonry Pty Ltd.

Vertica® and Natural Impressions® are registered trade marks used under licence.

